

## Literatur Hyaluronsäure

Bei der Therapie mit der von uns verwendeten Hyaluronsäure handelt es sich um eine wissenschaftlich anerkannte Therapie. Neuere Studien beschreiben neben der Beschwerdelinderung auch eine Verlangsamung der Arthrosezunahme. Für Interessierte im Anschluß ein Auszug der aktuellen Literatur zu diesem Thema. Selbstverständlich gibt es noch weitere Literatur zu diesem Thema in den Datenbanken des WWW und der MEDLINE.

- Abatangelo G, Botti P, Del Bue M, Cortivo R, De Galateo A, Gei G, Samson JC, Martelli M: Effect of intraarticular sodium hyaluronate injections in the PondNuki experimental model of osteoarthritis. *Clin Orthop* 241, 278285 (1989)
- Altman RD, Hochberg MC, Moskowitz RW, Schnitzer TJ: Recommendations for the medical management of osteoarthritis of the hip and knee. *Arthritis Rheum* 43 (9), 19051915 (2000)
- Altman RD, Moskowitz R and the Hyalgan Study Group: Intraarticular sodium hyaluronate (Hyalgan) in the treatment of patients with osteoarthritis of the knee: a randomized clinical trial. *J Rheumatol* 25, 22032212 (1998)
- Antonas KN, Fraser JRE, Muirden KD: Distribution of biologically labelled radioactive hyaluronic acid injected into joints. *Ann Rheum Dis* 32, 103111 (1983)
- Armstrong S, Read R, Ghosh P: The effects of intraarticular hyaluronan on cartilage and subchondral bone changes in an ovine model of early osteoarthritis. *J Rheumatol* 21 (4), 680688 (1994)
- Balazs EA, Denlinger JL: Viscosupplementation: a new concept in the treatment of osteoarthritis. *J Rheumatol* 20 (Suppl 39), 39 (1993)
- Barrett JP, Siviero P: Retrospective study of outcomes in Hyalgantreated patients with osteoarthritis of the knee. *Clin Drug Invest* 22, 8797 (2002)
- Bragantini A, Cassini M, De Bastiani G, Perbellini A: Controlled singleblind trial of intra articular injected hyaluronic acid in gonarthrosis of the knee. *Clin Trials J* 24, 333340 (1987)
- Carrabba M, Paresce E, Angelini M, Zamboni AM, Bragantini A, Paissan A, Molinaroli F, Perbellini A: The intraarticular treatment of osteoarthritis of the knee. A comparative study between hyaluronic acid and orgotein. *Eur J Rheumatol Inflamm* 12, 4757 (1992)
- Chow G, Knudson CB, Homandberg G, Knudson W: Increased expression of CD44 in bovine articular chondrocytes by catabolic cellular mediators. *J Biol Chem* 270 (46), 2773427741 (1995)
- Culti M, Miyake K, Kiricade PW, Silorski E, Butcher EC, Underhill C: The hyaluronate receptor is a member of the CD44 (HCAM) family of cell surface glycoproteins. *J Cell Biol* 111, 27652774
- Culti M, Nguyen HA, Underhill C: The hyaluronate receptor (CD44) participates in the uptake and degradation of hyaluronan. *J Cell Biol* 116, 10551062 (1992)
- Dougados M, Nguyen M, Listrat V, Amor B: High molecular weight sodium hyaluronate (hyalectin) in osteoarthritis of the knee: a 1 year placebocontrolled trial. *Osteoarthritis Cartil* 1, 97103 (1993)
- FIDIA Research Laboratories: Pharmacokinetics of hyaluronic acid administered intraarticularly in the rabbit. Report on file, Fidia (1996)
- Fraser JR, Laurent TC, Pertoft H, Bacter E: Plasma clearance, tissue distribution and metabolism of hyaluronic acid injected intravenously in the rabbit. *Biochem J* 200, 415424 (1981)

- Frizziero L, Govoni E, Bacchini P: Intraarticular hyaluronic acid in the treatment of osteoarthritis of the knee: Clinical and morphological study. *Clin Exp Rheumatol* 16, 441449 (1998)
- Ghosh P, Read R, Numata Y, Smith S, Armstrong S, Wilson D: The effects of intraarticular administration of hyaluronan in a model of early osteoarthritis in sheep. 11. Cartilage composition and proteoglycan metabolisms. *Semin Arthrit Rheum* 22 (6, Suppl. 1), 3142 (1993)
- **Goldberg VM et al.: Hyaluronans in the treatment of osteoarthritis of the knee: evidence for disease-modifying activity. *Osteoarthritis and Cartilage* 13,216-224 (2005)**
- Gotoh S, Miyazaki K, Onaya J, Sakamoto T, Tokuyasu K, Namiki O: Experimental knee pain model in rats and analgesic actions of sodium hyaluronate (SPH) *Folia. Pharmacol Jpn* 92, 17 (1988)
- Grecomoro G, Martorana U, Di Marco C: Intraarticular treatment with sodium hyaluronate in gonarthrosis: a controlled clinical trial versus placebo. *Pharmatherapeutica* 5, 137141 (1987)
- Hanschke M; Experimentelle Untersuchungen zu den biologischen Grundlagen der Wirkung von Hyaluronsäure auf den Gelenkknorpel [Vortrag]. Internationaler Expertenworkshop "Hyaluronsäure ein modernes Konzept zur Arthrosebehandlung". Berlin, Januar 1995
- Huntingdon Research Centre: The pharmacokinetics of 3HHyalectin after intraarticular administration to dogs. Report HRC/FDI 102A/84361
- Huskisson EC, Donnelly S: Hyaluronic acid in the treatment of osteoarthritis of the knee. *Rheumatology* 38 (7), 602607 (1999)
- Jones AC, Patrick M, Doherty S, Doherty M: Intraarticular hyaluronic acid compared to intraarticular triamcinolone hexacetonide in inflammatory knee osteoarthritis. *Osteoarthritis Cartil* 3, 269273 (1995)
- **Jubb RW et al.: A one-year, randomised, placebo (saline) controlled clinical trail of 500-730 kDa sodium hyaluronate (hyalgan) on the radiological change in osteoarthritis of the knee. *Int J Pract* 57 (2003) 1-8**
- Jubb RVV, Piva S, Beinat L, Dacre J, Gishen P: Structure modifying study of hyaluronan (500730 kDa, Hyalgan) on osteoarthritis of the knee. *Arthritis Rheum* 44 (Suppl. 9), S155, Abstr. 617 (2001)
- Listrat V, Ayral X, Patarnello F, Bonvarlet JP, Amor B, Dougados M: Arthroscopic evaluation of potential structure modifying activity of hyaluronan (Hyalgan) in osteoarthritis of the knee. *Osteoarthritis Cartil* 5, 153160 (1997)
- Iwata H: Pharmacologic and clinical aspects of intraarticular injection of hyaluronate. *Clin Orthop* 289, 285291 (1993)
- Manoiero E, LopezArmada MCJ, Pinto JA, Fernandez Sueiro JL, Lema B: Biological action of hyaluronan on human articular chondrocytes: the importance of molecular weight. *Osteoarthritis Cartil* 9 (Suppl. B), S55, Abstr PB37 (2001)
- Moskowitz RW: The role of antiinflammatory drugs in the treatment of osteoarthritis: a United States viewpoint. *Clin Exp Rheumatol* 19 (Suppl. 25), S3S8 (2001)
- Nakagawa K et al: Antigenicity studies on sodium hyaluronate (SPH), Part 11. Experiments in mouse and rabbit. *Yakuri Chiryō* 12, 151161 (1984)
- Nakagawa K, Suganuma H, Yamazaki S, Nozaki F, Suzuki K: Antigenicity studies on sodium hyaluronate (SPH), Part 1. Experiments in guinea pigs. *Yakuri Chiryō* 12, 141150 (1984)
- Noack VV, Merz E: "Disease modification" Abkehr vom Begriff "Chondroprotektiva". *Kolloquium* 12 Nr. 10, 14 (1994)

- Partsch G, Schwarzer Ch, Neumüller J, Dunky A, Petera P, Bröll H, Ittner G, Jantsch S: Modulation of the migration and chemotaxis of PMN cells by hyaluronic acid. *Z Rheumatol* 48, 123128 (1989)
- Peluso GF, Perbellini A, Tajana FG: The effect of high and low molecular weight hyaluronic acid on mitogeninduced lymphocyte proliferation. *Curr Ther Res* 47, 437443 (1990)
- Pendleton A, Arden N, Dougados M et al: EULAR recommendations for the management of knee osteoarthritis: report of a task force of the Standing Committee for International Clinical Studies Including Therapeutic Trials (ESCISIT). *Ann Rheum Dis* 59, 936944 (2000)
- Pietrogrande V, Melanotte PL, D'Agnolo B, Ulivi M, Benigni GA, Turchetto L, Pierfederici P, Perbellini A: Hyaluronic acid versus Methylprednisolone intraarticularly injected for treatment of osteoarthritis of the knee. *Curr Ther Res* 50, 691701 (1991)
- Pipino F, Molfetta L, Berlingerio G: Uacido ialuronico nella terapia della gonartrosi. Risultati di uno studio in aperto. *Minerva Orthop Traumatol* 61, 655660 (1990)
- Punzi L, Schiavon F, Cavasin F, Ramonda R, Gambari PF, Todesco S: The influence of intraarticular hyaluronic acid on PGE2 and cAMP of synovial fluid. *Clin Exp Rheumatol* 7, 247250 (1989)
- Richter VV: Non immunogenicity of purified hyaluronic acid preparations tested by passive cutaneous anaphylaxis. *Int Arch Allergy* 47, 211217 (1974)
- Sakamoto T, Mizuno S, Miyazaki K, Yamaguchi T, Toyoshima H, Namiki O: Metabolism of hyaluronic acid in knee joint of rabbit. *Kotsugo Soshiki* 11, 206 (1980)
- Sakamoto T, Mizuno S, Miyazaki K, Yamaguchi T, Toyoshima H, Namiki O: Biological fate of sodium hyaluronate (SPH). Studies on distribution, metabolism and excretion of <sup>14</sup>CSPH in rabbits after intraarticular administration. *Pharmacometrics* 28, 375387 (1984)
- Sakamoto T, Mizuno S, Miyazaki K, Yamaguchi T, Toyoshima H, Namiki O: Biological fate of sodium hyaluronate (SPH). Studies on the distribution, metabolism and excretion of intravenously administered <sup>14</sup>CSPH in rabbits. *Pharmacometrics* 28, 421431 (1984)
- Schiavinato A, Lini E, Guidolin D, Pezzoli G, Botti P, Martelli M, Cortivo R, De Galateo A, Abatangelo G: Intraarticular sodium Hyaluronate injections in the PondNuki experimental model of osteoarthritis in dogs. *Clin Orthop Rel Res* 241, 286299 (1989)
- Schneider U, Miltner O, Graf J, Thomsen M, Niethard FU: Wirkungsweise von Hyaluronsäure bei Gonarthrose beider Kniegelenke im Rechts/LinksVergleich. *Z Orthop* 135, 341347 (1997)
- Smith MM, Ghosh P: The synthesis of hyaluronic acid by human synovial fibroblasts is influenced by the nature of the hyaluronate in the extracellular environment. *Rheumatol Int* 7, 113122 (1987)
- Wigren A, Wik O, Falk J: Intraarticular injection of highmolecular hyaluronic acid. *Acta Orthop Scand* 47, 480485 (1976)
- Wigren A, Wik O, Falk J: Repeated intraarticular implantation of hyaluronic acid. An experimental study in normal and immobilized rabbit knee joint. *Ups J Med Sci, Suppl.* 17, 1 (1975)
- Yasui T, Akatsuka M, Tobetto K, Hayaishi M, Ando T: The effect of hyaluronan on interleukin1(xinduced prostaglandin E2 production in human osteoarthritic synovial cells. *Agents Actions* 37, 155156 (1992)